



2019

MEDLINE

MEDLINE

PRIVATE OASIS

850

7.5
spring 2019

660 + COLOR EDITION

580 + COLOR EDITION

500



Relaxing | Leisure | Space





MEDLINE 850



MEDLINE 740



MEDLINE 660 COLOR



MEDLINE 580



MEDLINE 660

MEDLINE

RELAXING

Perfect for long trips on the sea, the medline is a true private oasis thanks to its transformable surface, which can be transformed into a sunbathing area. Created for long day trips, the medline range is part of the new generation of Zodiac boats: rigid-hulled inflatable openly oriented towards leisure. The arrangement allows to transform the deck into a vast sun lounge, to create a “private oasis” area.



MEDLINE 660



MEDLINE 660

SPACE

The deck plans allow ease of movement. The forward sun lounge area is spacious and easily set up, as is the aft sun deck. Whether sunbathing, lunching at a beach or swimming, the equipment, comfortable seats and low maintenance buoyancy tubes, every detail is the result of the experience of Zodiac Nautic and its vast knowledge base.



MEDLINE 850

LEISURE

Extended to 5 boats, the medline range has been rethought for comfort and ease of use, whether at anchor or at sea. The dimensions and the weight of each boat has been optimized to obtain a perfect weight / power ratio in order to have moderate engine power and simplify the maneuvers for launching and storage.



MEDLINE 850



MEDLINE 740

NEW: MEDLINE 7.5

RELEASE SPRING 2019



Extra large u-shaped aft seating area, comfortably seats up to 8. Convertible to a large rear sunbathing platform.



- 12 Seats
- Large storage under console and underneath back seat
- Approval - of 7 meters for exemption of tax



- 3 Tube colors
- 3 Upholstery colors
- 2 Gel coat colors

NOUVEAU: MEDLINE 7.5

Kitchen under bolster with easy opening and safe, for lunches in the idyllic aft seating area designed for relaxation. As standard: hand shower, rear platforms, XXL sundeck.



Wide rear platforms for a a safe way to get on and off the boat.

**MEDLINE 500****MEDLINE 580****MEDLINE 660****MEDLINE 7.5****MEDLINE 850**

Length overall/inside (m-f)	5/4,06 - 16'5"/13'4"	5,80/4,91 - 19'/16'1"	6,60/4,74 - 21'8"/15'7"	7,34/6,16 - 24'1"/20'3"	8,50/7,45 - 27'11"/24'5"
Width overall/inside (m-f)	2,24/1,25 - 7'4"/4'1"	2,54/1,44 - 8'4"/4'7"	2,54/1,39 - 8'4"/4'7"	2,90/1,67 - 9'6"/5'6"	3,00/1,85 - 9'10"/6'1"
Weight (Kg-Lbs)	353 - 778	601 - 1325	826 - 1821	1150 - 2535	1600 - 3527
Number of passengers	9	12	14	16 (C) - 6 (B)	20 (C) - 8 (B)
Max power allowed (CV)	80	115	200	300	350 - 2 x 250
Tank capacity (l-gal)	90 - 24	90 - 24	200 - 52	300 - 79	400 - 106

STANDARD EQUIPMENT

BASIC EQUIPMENT + COMFORT

Removable Tube
 Bilge Pump (except Medline 500)
 Integrated fuel tank
 Hydraulic steering (except Medline 500)
 Repair kit/Owner's manual
 Bow Ring
 Battery coupler
 Moulded self-bailing deck
 Bathing ladder
 2 paddles

MEDLINE 850 EQUIPMENT

4 Stainless steel handrails on tube/6 External handles
 4 fast empty fast flow
 Bow sundeck and stern sundeck
 Aft saloon with table
 Deck shower kit with a tank
 Deck lights
 Synthetic teak deck
 Ski mast

OPTIONS AND ACCESSORIES

COMFORT EQUIPMENT

Inflator turbomax 12volts 1000l/min
 Pressure gauge
 Cooker
 Electric windlass
 Electric windlass v3 (factory installed)
 Console mooring cover
 Fridge (factory installed)
 Inflator 12 volts 800 mb with pressure regulator 450l/min

ÉLECTRICITÉ/ÉLECTRONIQUE

Audio system fusion ra 750 ud with integrated dock radio, blue tooth,
 Antenna 2 x loud speakers 200 watts
 Remote control (option for fusion ra 750 or bb 300)

PROTECTION

Bolster mooring cover
 Bimini s/steel

COLOR EDITION

Red upholstery available for the 580 and 660



SPECIFICATIONS

ZODIAC NAUTIC SERVICES

AN INTERNATIONAL NETWORK OF TRUST

Present in more than 50 countries around the world, Zodiac Nautic and its 1.600 Agents will put their expertise at your service. Our network guarantees an efficient and reliable after-sale service: whether you need a new accessory or replacing a lost part, you are sure to find a Zodiac Nautic dealer putting their skills to work for you. **Our agents sometimes do the maintenance of the same boat for more than 20 years!**

Do not hesitate to consult them: they will know how to advise you when buying your boat or upkeeping it. We count on them, they deserve your trust.

Find our dealers:

WWW.ZODIAC-NAUTIC.COM

WARRANTY*

5
YEARS

ZODIAC

*See the conditions of application of the contractual guarantee (3 years) and its paid extension (2 years) with our network.





BOATS SPECIFICATIONS

CLASSIC		FUTURA			N-ZO				MEDLINE				
Mark II Alu	Mark II C Alu	Mark II C Alu/FR	Mark II Alu/FR	Mark III Alu/FR	600	680	700 cabin	760	500	580	660	75	850

DIMENSIONS

Length overall (m - f)	4,20 - 13'9"	3,80 - 12'6"	3,70 - 12'2"	4,10 - 13'5"	4,50 - 14'9"	5,99 - 19'8"	6,8 - 22'4"	6,99 - 22'11"	7,60 - 24'11"	5 - 16'5"	5,80 - 19'	6,60 - 21'8"	7,34 - 24'11"	8,50 - 27'11"
Inside length (m - f)	2,95 - 9'8"	2,55 - 8'4"	2,60 - 8'6"	3,00 - 9'10"	3,40 - 11'2"	5,03 - 16'6"	5,82 - 19'1"	6,37 - 20'11"	6,38 - 20'11"	4,06 - 13'4"	4,91 - 16'11"	4,74 - 15'7"	6,16 - 20'3"	7,45 - 24'5"
Width overall (m - f)	1,83 - 6'0"	1,83 - 6'0"	1,99 - 6'6"	1,99 - 6'6"	2,05 - 6'9"	2,54 - 8'4"	2,54 - 8'4"	3,21 - 10'6"	3,04 - 9'12"	2,24 - 7'4"	2,54 - 8'4"	2,54 - 8'4"	2,90 - 9'6"	3,00 - 9'10"
Inside width (m - f)	0,92 - 3'0"	0,92 - 3'0"	0,89 - 2'11"	0,89 - 2'11"	0,90 - 2'11"	1,30 - 4'3"	1,30 - 4'3"	2,40 - 7'10"	1,70 - 5'7"	1,25 - 4'1"	1,44 - 4'9"	1,39 - 4'7"	1,67 - 5'6"	1,85 - 6'1"
Buoyancy tube diameter (m - f)	0,45 - 1'6"	0,45 - 1'6"	0,55 - 1'10"	0,55 - 1'10"	0,57 - 1'11"	0,60 - 2'0"	0,60 - 2'0"	0,65 - 2'2"	0,65 - 2'2"	0,50 - 1'8"	0,55 - 1'10"	0,575 - 1'11"	0,6 - 1'12"	0,60 - 1'12"
Hull angle														

CAPACITY

Design categories	C	C	C	C	C	C	C + D	B + C + D	B + C	C	C	C	B + C	B + C
Number of passengers (ISO)	7	6	6 / 5	7 / 6	9 / 8	12	14	14 (C+D) - 7 (B)	18 (C) - 7 (B)	9	12	14	16 (C) - 6 (B)	20 (C) - 8 (B)
Maximum authorized payload (Kg - lbs.)	840 - 1852	750 - 1653	860 - 1896 800 - 1764	1100 - 2425 1000 - 2205	1280 - 2822 1200 - 2646	1262 - 2782	1480 - 3263	2036 - 4489 (C) 1661 - 3662 (B)	2080 - 4585 (C) 1250 - 2755 (B)	1232 - 2716	1420 - 3131	1490 - 3285	1730 - 3814 (C) 980 - 2161 (B)	2130 - 4696 (C) 1605 - 3538 (B)
Total weight (Kg - lbs.)	83 - 183	74 - 163	120 - 264 97 - 214	125 - 275 101 - 220	139 - 306 118 - 268	930 - 2050	1058 - 2332	1489 - 3283	1530 - 3373	353 - 778	601 - 1325	826 - 1821	1150 - 2535	1600 - 3527
Number of airtight compartments	3 + 1	3 + 1	3 + 2 + 1	4 + 2 + 1	5 + 2 + 1	6	6	6	6	5	5	5	5	7

ENGINE

Transom length	Court	Court	court	Long	Long	Extra Long	Extra Long	XXL en mono XL en bi-moteurs	XXL en mono XL en bi-moteurs	Long	Extra Long	Extra Long	Extra Long	XXL en mono XL en bi-moteurs
Maximum allowed power (Hp)	40	35	40 / 25	50 / 30	60 / 40	150	200	300 - 2 x 150	350 - 2 x 150	80	115	200	300	350 - 2 x 250
Maximum allowed power (kW)	30	26	30 / 19	37 / 22	45 / 30	110	147	221 - 2 x 110	257 - 2 x 110	60	86	147	220	257 - 2 x 183
Maximum allowed weight of engine (Kg-lbs)	95 - 209	85 - 187	95 - 209 72 - 159	115 - 253 75 - 165	120 - 264 95 - 209	234 - 515	393 - 866	393 - 866 2 x 258 - 2 x 569	393 - 866 2 x 258 - 2 x 569	191 - 421	244 - 537	282 - 622	385 - 849	393 - 866 2 x 300 - 2 x 661

OPEN			PRO						
5.5	6.5	7	420	500	5.5	6.5	7	750	850

5,40 - 17'9"	NC	6,95 - 22'10"	4,20 - 13'9"	4,70 - 15'5"	5,40 - 17'9"	NC	6,75 - 22'2"	7,50 - 24'7"	8,50 - 27'11"
4,22 - 13'10"	NC	5,71 - 18'9"	2,90 - 9'6"	3,38 - 11'1"	4,25 - 13'11"	NC	5,71 - 18'9"	6,16 - 20'3"	7,45 - 24'5"
2,54 - 8'4"	NC	2,54 - 8'4"	1,90 - 6'3"	2,05 - 6'9"	2,54 - 8'4"	NC	2,54 - 8'4"	2,90 - 9'6"	3,00 - 9'10"
1,39 - 4'7"	NC	1,39 - 4'7"	0,95 - 3'1"	1,05 - 3'5"	1,39 - 4'7"	NC	1,39 - 4'7"	1,65 - 5'5"	1,85 - 6'1"
0,575 - 1'11"	NC	0,575 - 1'11"	0,455 - 1'6"	0,50 - 1'8"	0,57 - 1'10"	NC	0,57 - 1'10"	0,60 - 1'12"	0,60 - 1'12"
24°	NC	24°	19°	22°	24°	NC	24°	22°	24°

C	NC	B + C	C	C	C	NC	B + C	B + C	B + C
12	NC	16 (C) - 7(B)	7	9	12	NC	16 (C) - 5 (B)	20 (C) - 7 (B)	25 (C) - 8 (B)
1410 - 3108	NC	1990 - 4387 (C) 1400 - 3086 (B)	780 - 1720	1060 - 2337	1550 - 3417	NC	1960 -4321 (C) 1160 - 2557 (B)	1830 - 4034 (C) 1155 - 2546 (B)	2800 - 6173 (C) 2050 - 4519 (B)
585 - 1290	NC	910 - 2006	181 - 399	230 - 507	430 - 948	NC	790 - 1741	860 - 1896	1450 - 3197
5	NC	5	3	5	5	NC	5	5	7

Long	NC	Extra Long	Long	Long	Long	NC	XL en mono L en bi	XL en mono L en bi	XXL en mono XL en bi-moteurs
130	NC	250	50	70	115	NC	250 - 2 x 130	300 - 2 x 150	350 - 2 x 250
97	NC	186	37	52	84	NC	183 - 2 x 95	220 - 2 x 110	257 - 2 x 183
225 - 496	NC	300 - 661	115 - 253	170 - 374	225 - 496	NC	293 - 645	300 - 661 2 x 240 - 2 x 529	393 - 866 2 x 300 - 2 x 661



The maximal authorized load was computed according to the ISO norm.

This document may make references to registered trademarks from other companies. Such references are purely indicative and do not constitute any commitment. In a constant search for better products, Z Nautic reserves the right to change or improve the conception or definition of its products at any time, without prior notice and without retroactive effect on the boats built previously.

This document cannot be considered as a contractual document. Non-contractual pictures.

Guarantee extensions are available depending on the products and the geographical area. Information available at your reseller and on www.Zodiac-nautic.Com

Z Nautic reserves the right to modify the characteristics of its products without prior notice (tolerance +/- 3% on dimensions, +/- 5% on weight and speed).

Zodiac Nautic™ is a registered trademark – Copyright Zodiac Nautic™. Z Nautic SAS with a capital of 7,095,000€ – SIRET 812 206 340 000 26 APE 4778C - SIREN 812 206 340 - RCS TOULOUSE VAT N° 81 812 206 340. 2, Chemin de la Val Priout. 31450 AYGUESVIVES - FRANCE.



ZODIAC

www.zodiac-nautic.com